EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	103	internet same (different with network $1 with configur$4 with (computer$1 or client$1))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 11:11
S2	1	S1 same "registration driver" same (assign$4 with address$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 11:12
S3	4	internet same (different with network $1 with configur$4 with (computer$1 or client$1)).ab.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 11:12
S4	109	internet same ((different or foreign) with network$1 with configur$4 with (computer$1 or client $1))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 11:44
S5	0	internet same ("cable modem network" with (pre-configur$4 or configur$4) with (different or foreign) with network) same (assign$4 near4 address$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 11:54
S6	0	internet same ("cable network" with (pre-configur$4 or configur $4) with (different or foreign) with network) same (assign$4 near4 address$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 11:54
S7	7	internet same ((pre-configur$4 or configur $4) with (different or foreign) with network) same (assign$4 near4 address$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 11:54
S8	2125	709/245.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 11:56

S9	4	S8 and S4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 11:56
S10	3	S8 and S1	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 11:58
S11	0	internet same (different with network $1 with configur$4 with (computer$1 or client$1)) same rout&4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 11:59
S12	0	internet same (different with network $1 with configur$4 with (computer$1 or client$1)) and rout&4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 12:00
S13	10	internet same (different with network $1 with configur$4 with (computer$1 or client$1)) and (bridg $4 with device$1)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 12:02
S14	5	internet same (network $1 with (computer$1 or client$1)) same relay$1 same bridge$4 same router$4 same address$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 12:25
S15	4	internet same (network $1 with (computer$1 or client$1)) same (relay$1 same bridge $4 same router$) with address$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 12:55
S16	0	internet same (network $1 with (computer$1 or client$1)) same (relay$1 same bridge $4 same router$) with (address$4 near3 assign$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 14:04
S17	1	"20070180142"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 14:05

S18	2	internet same (network $1 with (computer$1 or client$1)) same (relay$1 same bridge $4 same router$) same (identif$7)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 14:29
S19	9	internet same (relay$1 same bridge$4 same router$) same (identif $7)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 14:31
S20	12	internet same (relay$1 same bridge$4 same router$) same (identif $7 or "id")	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 14:35
S21	2	internet same (network $1 with (computer$1 or client$1)) same (relay$1 same bridge $4 same router$) same (identif$7 or "id")	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 14:38
S22	4	internet same (network $1 with (computer$1 or client$1)) same (relay$1 same bridge $4 same router$) with (address$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 14:40
S23	35	internet and (relay$1 same bridge$4 same router$ same (identif $7 or "id"))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 16:02
S24	15	internet and (relay$1 same bridge$4 same router$ same ("mac address"))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 16:02
S25	3	internet and (relay$1 same bridge$4 same router$ same ("mac address")) same assign $4 with address$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 16:02
S26	25	internet and (relay$1 same bridge$4 same router$ same ("ip address"))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 16:03
S27	1	"20070180142"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/10 16:48

S28	7	(US-20010054101-$ or US-20050256958-$ or US-20020112076-$).did. or (US-6377990-$ or US-6857009-$ or US-7007080-$ or US-6212559-$).did.	US-PGPUB; USPAT	OR	OFF	2007/12/11 09:20
S29	6	S28 and (cable modem termination systems)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/11 09:21
S30	0	S28 and (cable modem termination systems)	US-PGPUB; USPAT; EPO; IBM_TDB	ADJ	OFF	2007/12/11 09:24
S31	1	S28 and (cmts)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	OFF	2007/12/11 09:24

12/12/2007 7:29:27 AM
C:\Documents and Settings\thighter\My Documents\EAST\Workspaces\10589046.wsp